Made in Finland

Utu sauna cabin (SHU1616)

- Installation instructions



Table of contents SHU1616-sauna cabin			
Description	w*d*h / INFO	Quantity	Check
Wall-elements	(w*d*h)		
A1	1600*72*1017	1 pc	
A2	1600*72*1017	1 pc	
B1	1570*72*1017	1 pc	
B2	1570*72*1017	1 pc	
C1	1600*72*1017	1 pc	
C2	1600*72*1017	1 pc	
D (wall)	821*72*2034	1 pc	
Roof elementS	(w*d*h)		
R1	1520*778*64	1 pc	
R2	1520*798*88	1 pc	
Mouldings	(w*d*h)		
(outside) back corners	21*52*2034 HT aspen	2 pcs	
door/wall joint (inside and outside)	45*15*1953 HT aspen	2 pcs	
(outside) front corners	88*28*2034 HT aspen	2 pcs	
Interior	(w*d*h)		
Bench supports (upper bench)	585*28*90 HT aspen	2 pcs	
Bench supports (lower bench)	905*28*90 HT aspen	2 pcs	
Upper bench	1446*600*90 HT aspen	1 pc	
Bench skirt	1446*30*325 HT aspen	1 pc	
Lower bench	1446*400*90 HT aspen	1 pc	
Back rest	1446*36*265 HT aspen	1 pc	
Heater guard	523*347*705 HT aspen	1 pc	
Lighting			
RGBW-LED tubes	width 1400	2 pcs	
Mounting clamps	metal clips	6 pcs	
LED power supply 24V, 90W	LED-PWS-24-90	1 pc	
All in one controller	LC-CV-VP	1 pc	
Remote controller	LR-1Z	1 pc	
Heater (not included)			
Recommended heater The Wall 6,0 kW	SW60	not included	
Stones AC3000	5 - 10 cm	not included	
Glass door with wooden frames			
Door with alder frames and bronze glass	690*1953*72 (glass 620*1913)	1 pc	
Door handle	SAZ564	1 pc	
Counter part for magnet	ZVEL-259C	1 pc	
Front wall support 1212/1616	ZVEL-851	1 pc	
Ventilation			
AIR Vent, alder	SZ093LE	1 pc	
Air duct, chromium	ZVEL-10	1 pc	
Accessories			
Installation instructions	Y05-1275	1 pc	
Screws and nails			
5*80 mm	(SS) Steinless steel	12 pcs	
5*80 mm	Zn	35 pcs	
4,5*45 mm	(SS) Steinless steel	15 pcs	
3*25 mm	(SS) Steinless steel	10 pcs	
1,7*45 mm	dyckert-nail, Zn	20 pcs	
17*10 mm	Frame plug, rubber, beige	8 pcs	
KTLP1	Glue bag	2 pcs	







Tools required

















Screws

SS = Steinless steel

Zn = Zink


Ss x * x mm




Zn x * x mm











Zn 5 * 80





B1
C1
A1



Zn 5 * 80 mm
C1
B1



A2
A1
B1
Zn 5 * 80 mm




A2
A1










Zn 5 * 80 mm














Zn 5 * 80 mm
















Ss 5 * 80 mm



















Ss 4,5 * 45 mm



















RGBW-LED 24V

















Ss 4,5 * 45 mm













Zn 5 * 80 mm





















Door










Zn 5 * 80 mm
















SAZ564















ZVEL-259C












ZVEL-10








Ss 3 * 25 mm







SZ093L










R1


R1


R2


R2











Zn 5 * 80 mm










Zn 5 * 80 mm




R1
R2






Zn 5 * 80 mm





ZVEL-851

















90 * 28 * 2034




90 * 28 * 2034











45 * 15 * 1953







21 * 52 * 2034



45 * 15 * 1953




3 mm
Ss 4,5 * 45 mm


325 mm
620 mm
543 mm
620 mm

Notice!


Heater is not included.


Recommended heater for this sauna is The Wall SW60 (6,0 kW) **OR** SW60E + Control unit Harvia Fenix FX110 WiFi Core IPX5 11 kW.



Notice.

Check right cables from the manual of the heater!








SW60 / SW60E























SW60E




SW60 P. 37














78
1160






84
118
59
42



15 mm
















1
84 mm / 3.3 in
min 15 mm
min 0.6 in
118 mm / 4.65 in
2
max. 35 mm / 1.4 in
2
max. 40 mm / 1.6 in


3
4
5



6
7
8











ø 8 mm








4
HARVIA


5





2x
6





AC3000







Ss 4,5 * 45 mm



HARVIA












NOTICE!

The external flexible cable od cord of this luminaire cannot be replaced; if the cord is damaged, the luminaire shall be destroyed.

The light source of this luminaire is not replaceable; when the light source reaches its end of life, whole luminaire shall be replaced.





NOTES